CUMULATIVE AUTHOR INDEX
Journal of Medical Entomology
Volume 29, 1992

A
Ailes, M. C., 160
Al-Asgah, N. A., 19
Amerasinghe, F. P., 54, 577
Amerasinghe, P. H., 577
Andreadis, T. G., 974
Apperson, C. S., 150, 806
Arakawa, R., 343
Arnold, M. F., 687
Arredondo, C., 729
Arredondo-Jiminez, J. I., 894
Artsob, H., 1063
Atkinson, T. H., 364
Aviles, G., 850
Azad, A. F., 669

B
Baba, M., 430, 603
Barbiero, V. K., 108
Barker, I. K., 1011
Barnes, A. M., 338
Baumgartner, D. L., 259
Beaman, J. R., 49, 802
Beard, M. L., 25, 338
Beehler, J., 898
Besansky, N. J., 125
Best, T. L., 507
Black, IV, W. C., 939
Blodgett, S. L., 700
Boobar, L. R., 451, 634
Borovsky, D., 318, 489, 619
Bosio, C. F., 985
Bowen, M. F., 843
Bowles, D. E., 901
Bown, D. N., 395, 894
Boyce, W. M., 496
Breisch, N. L., 54
Brinson, F. J., 178
Brown, L. J., 160
Brown, R. N., 496
Brown, W. A., 284
Butler, J. F., 423

C
Cabral, C. P., 599
Campbell, G. D., 1011
Carlson, D. A., 165, 318, 548, 619
Carpenter, T. L., 561
Carrel, J. E., 700
Carroll, J. F., 352
Carroll, M. C., 1052
Chadee, D. D., 567
Chambers, G. M., 467
Chastain, D. O., 561
Chavez, B., 400
Choochote, W., 1039
Cilek, J. E., 349
Clarke, F. C., 113
Clopton, R. E., 858
Coleman, R. E., 267
Comer, J. A., 368
Copeland, R. S., 33, 361
Corn, J. L., 368
Corpus, L. D., 707
Corwin, M. D., 78
Coulanges, P., 197
Coupland, J. B., 293
Craig, Jr., G. B., 33
Cruz-Lopez, L., 13
Cupp, E. W., 137, 1060
Cupp, M. S., 457

D
Davey, R. B., 690
Davis, J. R., 108
Despins, J. L., 332
Dick, D., 1063
Dickson, D. L., 310, 767
Doha, S., 891
Duhrkopf, R. E., 796
Durden, L. A., 118, 507, 564, 761
Durso, S. L., 512

E
Edman, J. D., 267, 329, 379, 921, 1035
Edwards, W., 657
Elliott, L. A., 1011
Elnaiem, D.-E., A., 5
Emmons, R. W., 472
Endris, R. G., 652, 874, 990
Essenberg, R. C., 41
Ewert, A., 960
Ewing, S. A., 657

F
Feliciangeli, M. D., 729
Fielden, L. J., 750
Fontenille, D., 197
Foster, W. A., 356, 784
Frances, S. P., 907
Frederickson, C. E., 395, 894
French, Jr., J. B., 723
Fritz, G. N., 704
Furuya, Y., 1045

G
Gadawski, R. M., 879
Gage, K. L., 832
Gager, R., 806
Galbe, J., 774
Gale, W., 160
Gamage-Mendis, A. C., 188
Garvie, M., 1063
Gere, M. A., 974
Gettinger, D., 66, 71
Gingrich, J. B., 436
Ginsberg, H. S., 1052
Glazer, I., 614
Goddard, J., 501
Goff, M. L., 965
Goff, W. L., 657
Gold, R. E., 858
Gordon, S. W., 827
Gray, J. S., 915
Greco, M., 54
Gupta, R. K., 639
Guzman, H., 226

H
Hagan, D. V., 178
Haile, D. G., 246
Hamilton, R. L., 141
Hardy, J. L., 472, 512
Hartberg, W. K., 796
Hartmann, E. U., 995
Haslett, T. M., 990
Herath, P.R.J., 188
Hess, W. R., 652, 874
Hilburn, L. R., 690
Ho, B. C., 960
Ho, T. M., 611
Hoffmann, F. J., 451
Hoke, C. H., 436
Hopla, C. E., 832
Howerth, E., 980
Hribar, L. J., 346, 1056
Huang, G., 911
Hutcheson, H. J., 371

I
Irby, W. S., 150
Iwaki, M., 1039
Jaenson, T.G.T., 813
Jarvis, E. K., 171
Jaworski, D. C., 305
Jones, C. J., 259
Jordan, R. A., 544
Jordan, S., 37

K
Kahl, O., 915
Kaliszewski, M. J., 1049
Kambhampati, S., 939
Kamimura, K., 343
Kardatzke, J. T., 669
Kay, B. H., 445, 599
Keirans, J. E., 282, 371
Kelly, R., 267, 329
Kern, Jr., W. H., 203, 221
Khoo, H.G.N., 960
Kitron, U., 259
Kittayapong, P., 379
Kitthawee, S., 921
Klowden, M. J., 467
Knapp, F. W., 349
Kocan, A. A., 630, 673
Kocan, K. M., 98, 657
Koehler, P. G., 203, 221, 364
Kogan, K. M., 630
Kokwaro, E. D., 1042
Kollars, Jr., T. M., 715
Koros, J., 361
Krafsur, E. A., 678
Kuthiala, A., 639

L
Lane, R. S., 496
Lardeux, F., 571
LePrince, D. J., 346,1056
Lehmann, T., 946
Lepers, J. P., 197
Levine, J. F., 806
Levy, C., 1060
Levy, M. G., 806
Li, X., 122
Linardi, P. M., 111
Linthicum, K. J., 118, 310, 564, 827
Lintner, T., 325
Lopes, C.M.L., 111
Lounibos, L. P., 236
Loyola, E. G., 395, 894
Luckhart, S., 457
Ludwig, G. V., 62

M
Magano, S., 750
Mahmood, F., 489, 548
Maloney, R., 1063
Mare, C. J., 137
Martin, P.A.W., 232
Martinez-Palomo, A., 400
Matsuoka, H., 343
Maupin, G. O., 338
McGuire, B. S., 980
McHugh, C. P., 901
McSwain, J. L., 41
Mendis, C., 188
Mendis, K. N., 188
Meyer, R. P., 472, 512
Milby, M. M., 531, 582
Miller, L. H., 375
Miyamoto, K., 216
Mogi, M., 296
Montoya-Lerma, J., 698
Morales-Malacara, J. B., 556
Mount, G. A., 246
Muir, L. E., 278, 445
Mukolwe, S. W., 630, 673
Mulfinger, L., 325
Mullens, B. A., 745, 1006
Murphy, G. L., 673

N
Nakao, M., 216
Need, J. T., 423
Neidhardt, K., 54, 451, 634, 669
Nettles, V. F., 368
Nisalak, A., 436
Nishimura, N., 236
Noriega, F. G., 273
Novak, R. J., 711, 968
Oliver, Jr., J. H., 774, 980
Olson, C. A., 1060
Orozco, A., 887
Paulson, S. L., 483
Pereira, L. R., 577
Pilgrim, R.L.C., 953
Pinger, R. R., 525
Poirier, S. J., 483
Pomsdhit, J., 436
Pound, J. M., 1023
Powell, J. R., 125
Pruess, K. P., 644
Pruett, J. H., 870
Prullage, J. B., 1023

R
Raghavendra, K., 183
Rakotoarivony, I., 197
Ramachandra, R. N., 818
Ramasamy, M. S., 934
Ramasamy, R., 934
Rechav, Y., 113, 757
Reisen, W. K., 472, 512, 531, 582
Ribeiro, H., 30
Ribeiro, Z. M., 599
Riviere, F., 571
Robert, L. L., 267
Roberts, C. R., 361
Rodriguez, J. L., 745
Rodriguez, M. H., 395, 400, 887
Rogo, L. M., 1042
Rojas, J. C., 13
Rosales, A. L., 678
Rose, S. T., 25
Rosell, R., 305
Rosenberg, R., 854
Rossignol, P. A., 122
Rowley, W. A., 314
Rust, M. K., 242
Rutledge, L. C., 171
Ryder, J. W., 525

S
Sabattini, M. S., 850
Sakai, R. K., 375
Samish, M., 614
Sato, C., 1045
Sattabongkot, J., 854
Schal, C., 207
Schell, W. L., 723
Schmidtmann, E. T., 232, 352
Schreck, C. E., 165
Schulze, T. L., 544
Schwan, T. G., 78, 927
Shara, S., 611
Sharma, V. P., 183
Sharon, M. D., 314
Shehata, M. G., 891
Siegel, J. P., 711, 968
Sikorowski, P. P., 707
Slusser, J. H., 115
Smith, S. M., 879
Solberg, V. B., 451, 634, 687
Somapala, W., 577
Sonenshine, D. E., 115
Sota, T., 296
Srikrishnaraj, K. A., 934
Stafford, III, K. C., 129, 717
Stallknecht, D., 980
Steltenkamp, R. J., 141
Stevenson, R., 634
Stiller, D., 98
Stockwell, S. A., 407
Strickman, D., 1035
Subbarao, S. K., 183
Sulaiman, I., 1
Surgeoner, G. A., 1011

T
Tabachinick, W. J., 384
Takaoka, H., 430
Talleklint, L., 813
Taylor, G. C., 544
Tedders, S. H., 282
Tembo, S. D., 757
Tesh, R. B., 226
Thomas, D. B., 870
Thomas, R. E., 985
Thorne, M. J., 278
Tobolewski, J., 1049
Turell, M. J., 49, 62, 767, 792, 802

U
Uchikawa, K., 864

V
Vasconcelos, A. W., 599
Vergne, E., 911

W
Washburn, J. O., 995
Washino, R. K., 704
Webb, Jr., J., 898
Wikel, S. K., 818
Wirth, W. W., 1006
Wirtz, R. A., 854

Y
Yamamoto, S., 343
Yee, W. L., 356, 784
Yeo, A.E.T., 907
Yunginger, J., 325

Z
Zhu, X., 644

CUMULATIVE SUBJECT INDEX
Journal of Medical Entomology
Volume 29, 1992

Acari, bats, 507
  ectoparasites, 507
acaricides, *Ixodes dammini*, 544
  tick control, 544
Acarina, *Dermacentor andersoni*, 818
  direct fluorescent antibody technique, 611
  dot-immunobinding assay, 611
  host immune responses, 818
Aedes aegypti, *Ascogregarina culicis*, 1
  behavior, 445
  biological control, 1, 599
  carbon dioxide, 165
  Copepoda, 599
  deet, 639
  gas chromatography, 619
  host odor, 165
  JH III biosynthesis, 318
  juvenile hormone III, 619
  juvenile hormones, 318
  multiple blood feeding, 1035
  multiple feeding, 329
  oviposition behavior, 639
  Plasmodium gallinaceum, 329
  spectral sensitivity, 278
  sugar feeding, 1035
  vision, 278
  visual stimuli, 445
Aedes albifasciatus, vector competence, 850
  western equine encephalomyelitis virus, 850
Aedes albopictus, *Aedes sierrensis*, 995
  California, 995
  dengue, 985
  vector competence, 802
  Venezuelan equine encephalomyelitis virus, 802
  vertical transmission, 985
Aedes hendersoni, La Crosse virus, 483
  vector competence, 483
Aedes polynesiensis, biological control, 571
  Mesocyclops aspericornis, 571
Aedes provocans, age structure, 879
  nectar feeding, 879
Aedes scutellaris group, polymerase chain reaction, 939
  random amplified polymor phic DNA (RAPD), 939
Aedes sierrensis, *Aedes albopictus*, 995
  California, 995
Aedes sollicitans, *Aedes taeniorhynchus*, 62
  Venezuelan equine encephalomyelitis virus, 62
Aedes taeniorhynchus, *Aedes sollicitans*, 62
  Venezuelan equine encephalomyelitis virus, 62
Aedes triseriatus, *Ascogregarina barretti*, 968
  wing length, 968
Aedes, blood feeding, 356
  nectar feeding, 356
  larvae, competition, 960
  feeding rates, 960
Aedes spp., chikungunya virus, 49
  habitat selection, 296
  infection rates, 49
  mating responses, 796
  metabolic reserves, 467
  reproduction, 467
  seasonal distribution, 296
  sound, 796
African swine fever virus, arbovirus, 652, 874, 990
  Ornithodoros (A.) puertoricnesis, 990
  Ornithodoros (P.) marocanus, 652, 874
age structure, *Aedes provocans*, 879
  nectar feeding, 879
agonists, *Amblyomma americanum*, 41
  salivary secretions, 41
alfalfa hay, *cantharidin transfer*, 700
  Epicauta occidentalis, 700
alkyl neoalkanamides, cock roach, 141
  repellent, 141
Amblyomma spp., immunity, 757
  immunization, 757
Amblyomma americanum, agonists, 41
  cyfluthrin, 634
  Ixodes dammini, 451, 634
  salivary secretions, 41
  tick sampling methods, 451
Amblyomma cajennense, Venezuelan equine encephalomyelitis virus, 827
  virus strains, 827
Amblyomma hebraeum, gynandromorph, 113
  Ixodidae, 113
Amblyomma marmoreum, hosts, 750
  life cycle, 750
Anaplasma ovis, *Dermacentor andersoni*, 98
  sheep, 98
anaplasmosis, *Dermacentor andersoni*, 657
  rickettsia, 657
Anopheles albimanus, behavior, 894
  egg morphology, 400
  electron microscopy, 887
  hatching, 887
  host selection, 894
  malaria vectors, 400
  mark-recapture, 395
  survivorship, 395
Anopheles albitarsis, host-seeking rhythms, 567
  Trinidad, 567
Anopheles culicifacies, mala thion resistance, 183
  sibling species, 183
Anopheles dirus, parity, 921
  wing length, 921
Anopheles gambiae, genome size, 125
  heat shock, 375
  reassociation kinetics, 125
  transformation, 375
Anopheles maculatus, body size, 379
  malaria infection, 379
Anopheles omorii, experimental transmission, 343
  Plasmodium berghei, 343
Anopheles punctipennis, egg morphology, 704
  overwintering behavior, 704
Anopheles stephensi, probing time, 122
Anopheles subpictus, malaria transmission, 577
  Sri Lanka, 577
Anopheles tessellatus, *Culex quinquefasciatus*, 934
  Host immunity, 934
Anopheles, DNA probes, 361
  identification, 361
Anopheles spp., Madagascar, 197
  malaria, 188
  malaria transmission, 197
  mathematical modeling, 188
antibodies, myiasis, 870
  Screwworm, 870
aquatic light trap, *Culex quinquefasciatus*, 898
  larval sampling, 898
arboviral, Culicidae, 792
  inoculation, 792
arboviruses, African swine fever virus, 652, 874, 990
  California, 512
  Culex tarsalis, 512
  Ornithodoros (A.) puertoricnesis, 990
  Ornithodoros (P.) marocanus, 652, 874

Argas monolakensis, Mono Lake, 78
new species, 78
Ascogregarina barretti, *Aedes triseriatus*, 968
wing length, 968
Ascogregarina culicis, *Aedes aegypti*, 1
biological control, 1
attractants, *Hybomitra lasiophthalma*, 346
reproductive status, 1056
Tabanus spp., 1056
trapping, 346
autogeny, Colombia, 698
Lutzomyia lichyi, 698
Rhodnius, 273
Triatoma, 273
babesiosis, *Boophilus* spp., 246
computer modeling, 246
bacteria, maggot growth, 232
Musca domestica, 232
baits, *Blattella germanica*, 207
resistance, 207
bats, Acari, 507
ectoparasites, 507
behavior, *Aedes aegypti*, 445
Anopheles albimanus, 894
host selection, 894
visual stimuli, 445
bighorn sheep, bluetongue, 1006
epizootic hemorrhagic disease, 1006
biological control, *Aedes aegypti*, 1, 599
Aedes polynesiensis, 571
Ascogregarina culicis, 1
Copepoda, 599
Mesocyclops aspericornis, 571
bionomics, *Lutzomyia shannoni*, 178
population dynamics, 178
Blastocladiales, *Coelomomyces*, 30
Culex, 30
Blatellidae, fenoxycarb, 364
hydroprene, 364
Blattella germanica, baits, 207
resistance, 207
blood feeding, *Aedes*, 356
nectar feeding, 356
blood meal identification, dot blot hybridization, 1045
mosquitoes, 1045
bluetongue, bighorn sheep, 1006
epizootic hemorrhagic disease, 1006
body size, *Anopheles maculatus*, 379
malaria infection, 379
oviposition habits, 603
Simulium kawamurae, 603
body weight, mosquito, 711
wing length, 711
Boophilus annulatus, entomopathogenic nematodes, 614
tick, 614
Boophilus spp., babesiosis, 246
computer modeling, 246
Borellia burgdorferi, Ixodes, 980
Lyme disease, 980
Dermacentar albipictus, 630
hosts, 915
Ixodes dammini, 259, 1011, 1063
Ixodes pacificus, 1060
Ixodes ricinus, 915
Ixodes scapularis, 630
Ixodidae, 525
Lyme borreliosis, 1011
Lyme disease, 496, 1060, 1063
spirochetes, 496
ticks, 673
transmission, 673
vector competency, 525
white-tailed deer, 259
Brazil, *Laelaps*, 66
taxonomy, 66
Brazilian fleas, *Polygenis tripus*, 111
spermatheca, 111
brown dog tick, forceps, 901
removal devices, 901
bubonic plague, fleas, 25
permethrin, 338
California, *Aedes albopictus*, 995
arboviruses, 512
Culex tarsalis, 512
sierrensis, 995
cantharidin transfer, alfalfa hay, 700
Epicauta occidentalis, 700
carbon dioxide, *Aedes aegypti*, 165
host odor, 165
cylinder, flowmeter, 687
gas regulator, 687
cattle fever ticks, hybridization, 690
isozymes, 690
cell-mediated response, lymphocyte response, 423
Ornithodoros sp., 423
chemical cues, oviposition, 33
tree hole mosquitoes, 33
chikungunya virus, *Aedes* spp., 49
infection rates, 49
circumsporozoite protein detection, ELISA, 854
Plasmodium vivax, 854
classification, North American scorpions, 407
systematics, 407
cockroach, alkyl neoalkanamides, 141
repellent, 141
Coelomomyces, Blastocladiales, 30
Culex, 30
Colombia, autogeny, 698
Lutzomyia lichyi, 698
competition, *Aedes* larvae, 960
feeding rates, 960
computer modeling, babesiosis, 246
Boophilus spp., 246
control, *Culicoides variipennis*, 745
habitat, 745
Tabanus spp., 160
trapping, 160
Copepoda, *Aedes aegypti*, 599
biological control, 599
corpora allata, JH III, 548
sandfly, 548
Crimean-Congo hemmorrhagic fever virus, *Hyalomma truncatum*, 767
replication, 767
Ctenocephalides felis, egg production, 203
eggs, 242
feces deposition, 203
flea feces, 221
larval development, 221
photoperiod, 242
Culex pipiens, diapause, 843
sugar feeding, 843
Culex quinquefasciatus, *Anopheles tessellatus*, 934
aquatic light trap, 898
Host immunity, 934
larval sampling, 898
Culex tarsalis, arboviruses, 512
California, 512
overwintering, 472
St. Louis encephalitis virus, 472
Culex, Blastocladiales, 30
Coelomomyces, 30
Culex spp., dispersal, 531
Los Angeles Basin, 582
mark-release-recapture, 531
St. Louis encephalitis virus, 582
Culicidae, arboviral, 792
ecology, 150
host seeking, 784
inoculation, 792
Japanese encephalitis virus, 436
resting distribution, 150
sugar feeding, 784
Thailand, 436

Culicoides variipennis, control, 745
gene flow, 384
genetic variation, 384
habitat, 745
cyclopoid copepods, mosquito, 974
predation, 974
cyfluthrin, *Amblyomma americanum*, 634
Ixodes dammini, 634
deer, Lyme disease, 54
Maryland, 54
deet, *Aedes aegypti*, 639
oviposition behavior, 639
Prosimulium, 267
repellents, 267
dengue, *Aedes albopictus*, 985
mosquitoes, 911
vertical transmission, 985
virus replication, 911
Dermacentar albipictus, *Borrelia burgdorferi*, 630
Ixodes scapularis, 630
Dermacentor andersoni, acarina, 818
Anaplasma ovis, 98
anaplasmosis, 657
host immune responses, 818
rickettsia, 657
sheep, 98
Dermacentor variabilis, hosts, 832
small mammals, 832
diapause, *Culex pipiens*, 843
sugar feeding, 843
dibutylphthalate, permethrin, 907
Trombiculidae, 907
direct fluorescent antibody technique, Acarina, 611
dot-immunobinding assay, 611
dispersal, *Culex* spp., 531
Ixodes dammini, 129
mark-release-recapture, 531
oviposition, 129
distribution, hosts, 282, 715
Ixodes dammini, 1052
Ixodes minor, 282
Ixodes, 715
Lyme disease, 1052
DNA, mammals, 1049
ticks, 1049
DNA probes, *Anopheles*, 361
identification, 361
dot blot hybridization, blood meal identification, 1045
mosquitoes, 1045
dot-immunobinding assay, Acarina, 611
direct fluorescent antibody technique, 611
ecology, Culicidae, 150
resting distribution, 150
ectoparasites, Acari, 507
bats, 507
host-parasite relationships, 946
Parichoronyssus radovskyi, 556
reproduction, 946
taxonomy, 556
egg dormancy, embryogenesis, 430
Prosimulium kiotoense, 430
egg morphology, *Anopheles albimanus*, 400
Anopheles punctipennis, 704
fine structure, 1039
malaria vectors, 400
Mansonia, 1039
overwintering behavior, 704
egg production, *Ctenocephalides felis*, 203
feces deposition, 203
eggs, *Ctenocephalides felis*, 242
photoperiod, 242
Egypt, *Leishmania infantum*, 891
Phlebotomus langeroni, 891
Ehrlichia risticii, mechanical transfer, 806
Tabanidae, 806
ehrlichiae, Lyme disease spirochetes, 669
rickettsia, 669
electron microscopy, *Anopheles albimanus*, 887
hatching, 887
ELISA, circumsporozoite protein detection, 854
Plasmodium vivax, 854
embryo development, fenoxycarb, 115
Ixodes dammini, 115
embryogenesis, egg dormancy, 430
Prosimulium kiotoense, 430
entomogenous nematodes, *Periplaneta brunnea*, 707
Steinernema carpocapsae, 707
entomopathogenic nematodes, *Boophilus annulatus*, 614
tick, 614
Epicauta occidentalis, alfalfa hay, 700
cantharidin transfer, 700
epizootic hemorrhagic disease, bighorn sheep, 1006
bluetongue, 1006
Eptesicus fuscus, *Myotis lucifugus*, 349
tick, 349
Eutrombicula alfreddugesi, repellent, 858
trombiculidae, 858
experimental transmission, *Anopheles omorii*, 343
Plasmodium berghei, 343
farnesene, feeding stimulants, 226
Lutzomyia longipalpis, 226
feces deposition, *Ctenocephalides felis*, 203
egg production, 203
feeding rates, *Aedes* larvae, 960
competition, 960
feeding stimulants, farnesene, 226
Lutzomyia longipalpis, 226
fenoxycarb, Blatellidae, 364
embryo development, 115
hydroprene, 364
Ixodes dammini, 115
fine structure, egg morphology, 1039
Mansonia, 1039
flea feces, *Ctenocephalides felis*, 221
larval development, 221
flea larvae, microscope slide preparation, 953
fleas, bubonic plague, 25, 338
permethrin, 25, 338
flowmeter, carbon dioxide cylinder, 687
gas regulator, 687
forceps, brown dog tick, 901
removal devices, 901
Gambusia holbrooki, *Mansonia* spp., 236
predation, 236
gas chromatography, *Aedes aegypti*, 619
juvenile hormone III, 619
gas regulator, carbon dioxide cylinder, 687
flowmeter, 687
gene flow, *Culicoides variipennis*, 384
genetic variation, 384
general review, *Lutzomyia verrucarum* group, 729
taxonomy, 729
genetic variation, *Culicoides variipennis*, 384
gene flow, 384
genome size, *Anopheles gambiae*, 125
reassociation kinetics, 125
gynandromorph, *Amblyomma hebraeum*, 113
Ixodidae, 113
habitat, control, 745
Culicoides variipennis, 745

habitat selection, *Aedes* spp., 296
seasonal distribution, 296
Haematobia irritans irritans, population age structure, 678
pterins, 678
hatching, *Anopheles albimanus*, 887
electron microscopy, 887
heat shock, *Anopheles gambiae*, 375
transformation, 375
hemocytes, morphology, 457
Simulium vittatum, 457
host immune responses, acarina, 818
Dermacentor andersoni, 818
Host immunity, *Anopheles tessellatus*, 934
Culex quinquefasciatus, 934
host odor, *Aedes aegypti*, 165
carbon dioxide, 165
host resistance, *Ixodes scapularis*, 774
Lyme disease, 774
host response, *Hyalomma truncatum*, 310
Ixodidae, 310
host seeking, Culicidae, 784
sugar feeding, 784
host selection, *Anopheles albimanus*, 894
behavior, 894
host specificity, *Laelaps*, 71
morphometrics, 71
host–parasite relationships, ectoparasite, 946
reproduction, 946
host-seeking rhythms, *Anopheles albitarsis*, 567
Trinidad, 567
hosts, *Amblyomma marmoreum*, 750
Borrelia burgdorferi, 915
Dermacentor variabilis, 832
distribution, 282, 715
Ixodes, 715
Ixodes minor, 282
Ixodes ricinus, 915
life cycle, 750
small mammals, 832
Hyalomma schulzei, laboratory biology, 19
Hyalomma truncatum, Crimean–Congo hemmorrhagic fever virus, 767
host response, 310
Ixodidae, 310
replication, 767
Hybomitra lasiophthalma, attractants, 346
trapping, 346
hybridization, cattle fever ticks, 690
isozymes, 690
hydroprene, Blatellidae, 364
fenoxycarb, 364
Hymenoptera, sting autotomy, 325
sting morphology, 325
identification, *Anopheles*, 361
DNA probes, 361
immunity, *Amblyomma* spp., 757
immunization, 757
immunization, *Amblyomma* spp., 757
immunity, 757
immunoblotting, immunocytochemistry, 305
salivary glands, 305
infection rates, *Aedes* spp., 49
chikungunya virus, 49
Ixodes dammini, 314
Wisconsin, 314
inoculation, arboviral, 792
Culicidae, 792
isozymes, cattle fever ticks, 690
hybridization, 690
Ixodes, distribution, 715
host, 715
Ixodes dammini, acaricides, 544
Amblyomma americanum, 451, 634
Borrelia burgdorferi, 259, 980, 1011, 1063
cyfluthrin, 634
dispersal, 129
distribution, 1052
embryo development, 115
fenoxycarb, 115
infection rates, 314
Lyme borreliosis, 1011
Lyme disease, 717, 980, 1052, 1063
oviposition, 129
Peromyscus leucopus, 717
tick control, 544
tick drag-flag, 352
tick sampling methods, 451
tick sweep, 352
white-tailed deer, 259, 723
Wisconsin, 314, 723
Ixodes minor, distribution, 282
hosts, 282
Ixodes pacificus, *Borrelia burgdorferi*, 1060
Lyme disease, 1060
Ixodes ricinus, *Borrelia burgdorferi*, 915
hosts, 915
Lyme disease, 813
roe deer, 813
Ixodes scapularis, *Borrelia burgdorferi*, 630
Dermacentar albipictus, 630
host resistance, 774
Lyme disease, 774
Mississippi, 501
questing activity, 501
Ixodid ticks, Japan, 216
Lyme borreliosis, 216
Ixodidae, *Amblyomma hebraeum*, 113
Borrelia burgdorferi, 525
gynandromorph, 113
host response, 310
Hyalomma truncatum, 310
lone star tick, 1023
synganglion, 1023
vector competency, 525
Japan, Ixodid ticks, 216
Lyme borreliosis, 216
Japanese encephalitis virus, Culicidae, 436
Thailand, 436
JH III, corpora allata, 548
sandfly, 548
JH III biosynthesis, *Aedes aegypti*, 318
juvenile hormones, 318
juvenile hormone III, *Aedes aegypti*, 619
gas chromatography, 619
juvenile hormones, *Aedes aegypti*, 318
JH III biosynthesis, 318
La Crosse virus, *Aedes hendersoni*, 483
vector competence, 483
laboratory biology, *Hyalomma schulzei*, 19
laboratory colonization, Mesostigmata, 564
suckling mice, 564
Laelaps, Brazil, 66
host specificity, 71
morphometrics, 71
taxonomy, 66
larval development, *Ctenocephalides felis*, 221
flea feces, 221
Liberia, 108
Simulium yahense, 108
larval sampling, aquatic light trap, 898
Culex quinquefasciatus, 898
Leishmania infantum, Egypt, 891
Phlebotomus langeroni, 891
lekking, *Lutzomyia longipalpis*, 171
mating, 171
Liberia, larval development, 108
Simulium yahense, 108

life cycle, *Amblyomma marmoreum*, 750
hosts, 750
lone star tick, Ixodidae, 1023
synganglion, 1023
Los Angeles Basin, *Culex* spp., 582
St. Louis encephalitis virus, 582
Lutzomyia anthophora, polyacrylamide gel electrophoresis, 489
proteolytic enzymes, 489
Lutzomyia lichyi, autogeny, 698
Colombia, 698
Lutzomyia longipalpis, farnesene, 226
feeding stimulants, 226
lekking, 171
mating, 171
oviposition attractants, 5
oviposition preferences, 5
Lutzomyia shannoni, bionomics, 178
population dynamics, 178
transovarial transmission, 368
vesicular stomatitis virus, 368
Lutzomyia verrucarum group, general review, 729
taxonomy, 729
Lyme borreliosis, *Borrelia burgdorferi*, 1011
Ixodes dammini, 1011
Ixodid ticks, 216
Japan, 216
Lyme disease, *Borellia burgdorferi*, 496, 980, 1060, 1063
deer, 54
distribution, 1052
ehrlichiae, 669
host resistance, 774
Ixodes, 980
Ixodes dammini, 717, 1052, 1063
Ixodes pacificus, 1060
Maryland, 54
Peromyscus leucopus, 717
ricinus, 813
rickettsia, 669
roe deer, 813
scapularis, 774
spirochetes, 496
lymphocyte response, cell-mediated response, 423
Ornithodoros sp., 423
Madagascar, *Anopheles* spp., 197
malaria transmission, 197
maggot growth, bacteria, 232
Musca domestica, 232
malaria, *Anopheles* spp., 188
mathematical modeling, 188
malaria infection, *Anopheles maculatus*, 379
body size, 379
malaria transmission, *Anopheles subpictus*, 577
Anopheles spp., 197
Madagascar, 197
Sri Lanka, 577
malaria vectors, *Anopheles albimanus*, 400
egg morphology, 400
malathion resistance, *Anopheles culicifacies*, 183
sibling species, 183
mammals, DNA, 1049
ticks, 1049
Mansonia, egg morphology, 1039
fine structure, 1039
Mansonia spp., *Gambusia holbrooki*, 236
predation, 236
mark-recapture, *Anopheles albimanus*, 395
survivorship, 395
mark-release-recapture, *Culex* spp., 531
dispersal, 531
Maryland, deer, 54
Lyme disease, 54
parasites, 761
small mammals, 761
mathematical modeling, *Anopheles* spp., 188
malaria, 188
mating, lekking, 171
Lutzomyia longipalpis, 171
mating responses, *Aedes* spp., 796
sound, 796
mechanical transfer, *Ehrlichia risticii*, 806
Tabanidae, 806
mechanical transmission, mites, 118
Venezuelan equine encephalomyelitis virus, 118
Megaselia, myiasis, 561
Mesocyclops aspericornis, *Aedes polynesiensis*, 571
biological control, 571
Mesostigmata, laboratory colonization, 564
suckling mice, 564
Metabinuncus, new species, 864
metabolic reserves, *Aedes* spp., 467
reproduction, 467
microscope slide preparation, flea larvae, 953
Mississippi, *Ixodes scapularis*, 501
questing activity, 501
mites, mechanical transmission, 118
Venezuelan equine encephalomyelitis virus, 118
mitochondrial DNA, *Simulium vittatum*, 644
tRNA genes, 644
Mono Lake, *Argas monolakensis*, 78
new species, 78
morphology, hemocytes, 457
Simulium vittatum, 457
morphometrics, host specificity, 71
Laelaps, 71
mosquitoes, body weight, 711
blood meal identification, 1045
cyclopoid copepods, 974
dengue, 911
dot blot hybridization, 1045
predation, 974
virus replication, 911
wing length, 711
multiple blood feeding, *Aedes aegypti*, 1035
sugar feeding, 1035
multiple feeding, *Aedes aegypti*, 329
Plasmodium gallinaceum, 329
Musca domestica, bacteria, 232
maggot growth, 232
myiasis, antibodies, 870
Megaselia, 561
Screwworm, 870
Myoiis lucifugus, *Eptesicus fuscus*, 349
tick, 349
nectar feeding, *Aedes provocans*, 879
Aedes, 356
age structure, 879
blood feeding, 356
new species, *Argas monolakensis*, 78
Metabinuncus, 864
Mono Lake, 78
nonparasitic stage biology, tick development, 332
tropical horse tick, 332
North American scorpions, classification, 407
systematics, 407
Ornithodoros (A.) puertoricnesis, African swine fever virus, 990
arbovirus, 990

Ornithodoros (P.) marocanus, African swine fever virus, 652, 874
Arbovirus, 652, 874
Ornithodoros capensis, south eastern United States, 371
Ornithodoros sp., cell-mediated response, 423
lymphocyte response, 423
overwintering, *Culex tarsalis*, 472
St. Louis encephalitis virus, 472
overwintering behavior, *Anopheles punctipennis*, 704
egg morphology, 704
oviposition, chemical cues, 33
dispersal, 129
Ixodes dammini, 129
oviposition pheromone, 293
Simulium reptans, 293
tree hole mosquitoes, 33
oviposition attractants, *Lutzomyia longipalpis*, 5
oviposition preferences, 5
oviposition behavior, *Aedes aegypti*, 639
deet, 639
oviposition cues, surface reflectance, 37
Toxorhynchites amboinensis, 37
oviposition habits, body size, 603
Simulium kawamurae, 603
oviposition pheromone, oviposition, 293
Simulium reptans, 293
oviposition preferences, *Lutzomyia longipalpis*, 5
oviposition attractants, 5
Parasecia, Sturnia, 965
Trombiculidae, 965
parasites, Maryland, 761
small mammals, 761
Parichoronyssus radovskyi, bat ectoparasites, 556
taxonomy, 556
parity, *Anopheles dirus*, 921
wing length, 921
Periplaneta brunnea, entomogenous nematodes, 707
Steinernema carpocapsae, 707
permethrin, bubonic plague, 25, 338
dibutylphthalate, 907
fleas, 25, 338
Trombiculidae, 907
Peromyscus leucopus, *Ixodes dammini*, 717
Lyme disease, 717
Philippine Islands, taxonomy, 284
Trombiculidae, 284
Phlebotomus aculeatus, *Phlebotomus martini*, 1042
Phlebotomus pedifer, 1042
Phlebotomus langeroni, Egypt, 891
Leishmania infantum, 891
Phlebotomus martini, *Phlebotomus aculeatus*, 1042
pedifer, 1042
Phlebotomus pedifer, *Phlebotomus aculeatus*, 1042
Phlebotomus martini, 1042
photoperiod, *Ctenocephalides felis*, 242
eggs, 242
Plasmodium berghei, *Anopheles omorii*, 343
experimental transmission, 343
Plasmodium gallinaceum, *Aedes aegypti*, 329
multiple feeding, 329
Plasmodium vivax, circumsporozoite protein detection, 854
ELISA, 854
polyacrylamide gel electrophoresis, *Lutzomyia anthophora*, 489
proteolytic enzymes, 489
Polygenis tripus, Brazilian fleas, 111
spermatheca, 111
polymerase chain reaction, *Aedes scutellaris* group, 939
random amplified polymorphic DNA (RAPD), 939
population age structure, *Haematobia irritans irritans*, 678
pterins, 678
population dynamics, bionomics, 178
Lutzomyia shannoni, 178
predation, cyclopoid copepods, 974
Gambusia holbrooki, 236
Mansonia spp., 236
mosquito, 974
probing time, *Anopheles stephensi*, 122
Prosimulium, deet, 267
repellents, 267
Prosimulium kiotoense, egg dormancy, 430
embryogenesis, 430
proteolytic enzymes, *Lutzomyia anthophora*, 489
polyacrylamide gel electrophoresis, 489
pterins, *Haematobia irritans irritans*, 678
population age structure, 678
questing activity, *Ixodes scapularis*, 501
Mississippi, 501
random amplified polymorphic DNA (RAPD), *Aedes scutellaris* group, 939
Polymerase chain reaction, 939
reassociation kinetics, *Anopheles gambiae*, 125
genome size, 125
removal devices, brown dog tick, 901
forceps, 901
repellent, alkylneoalkanamides, 141
cockroach, 141
deet, 267
Eutrombicula alfreddugesi, 858
trombiculidae, 858
Prosimulium, 267
replication, Crimean-Congo hemmorrhagic fever virus, 767
Hyalomma truncatum, 767
reproduction, *Aedes* spp., 467
ectoparasite, 946
host-parasite relationships, 946
metabolic reserves, 467
reproductive status, attractants, 1056
Tabanus spp., 1056
resistance, baits, 207
Blattella germanica, 207
resting distribution, Culicidae, 150
ecology, 150
Rhodnius, autogeny, 273
Triatoma, 273
rickettsia, anaplasmosis, 657
Dermacentor andersoni, 657
ehrlichiae, 669
Lyme disease spirochetes, 669
roe deer, *Ixodes ricinus*, 813
Lyme disease, 813
salivary glands, immunoblotting, 305
immunocytochemistry, 305
salivary secretions, agonists, 41
Amblyomma americanum, 41

sandfly, corpora allata, 548
juvenile hormones III, 548
Screwworm, antibodies, 870
myiasis, 870
seasonal distribution, *Aedes* spp., 296
habitat selection, 296
sexual behavior, *Triatoma pallidipennis*, 13
Triatoma phyllosoma, 13
sheep, *Anaplasma ovis*, 98
Dermacentor andersoni, 98
sibling species, *Anopheles culicifacies*, 183
malathion resistance, 183
Simuliidae, *Simulium vittatum*, 137
vesicular stomatitis virus, 137
Simulium kawamurae, body size, 603
oviposition habits, 603
Simulium reptans, oviposition, 293
oviposition pheromone, 293
Simulium vittatum, hemocytes, 457
mitochondrial DNA, 644
morphology, 457
Simuliidae, 137
tRNA genes, 644
vesicular stomatitis virus, 137
Simulium yahense, larval development, 108
Liberia, 108
small mammals, *Dermacentor variabilis*, 832
hosts, 832
Maryland, 761
parasites, 761
sound, *Aedes* spp., 796
mating responses, 796
southeastern United States, *Ornithodoros capensis*, 371
spectral sensitivity, *Aedes aegypti*, 278
vision, 278
spermatheca, Brazilian fleas, 111
Polygenis tripus, 111
spirochetes, *Borrelia burgdorferi*, 496
Lyme disease, 496
Sri Lanka, *Anopheles subpictus*, 577
malaria transmission, 577
St. Louis encephalitis virus, *Culex tarsalis*, 472
Culex spp., 582
Los Angeles Basin, 582
overwintering, 472
Steinernema carpocapsae, entomogenous nematodes, 707
Periplaneta brunnea, 707
sting autotomy, Hymenoptera, 325
sting morphology, 325
Sturnia, *Parasecia*, 965
Trombiculidae, 965
suckling mice, laboratory colonization, 564
Mesostigmata, 564
sugar feeding, *Aedes aegypti*, 1035
Culex pipiens, 843
Culicidae, 784
diapause, 843
host seeking, 784
multiple blood feeding, 1035
surface reflectance, oviposition cues, 37
Toxorhynchites amboinensis, 37
survivorship, *Anopheles albimanus*, 395
mark–recapture, 395
synganglion, Ixodidae, 1023
lone star tick, 1023
systematics, classification, 407
North American scorpions, 407
Tabanidae, *Ehrlichia risticii*, 806
mechanical transfer, 806
Tabanus spp., attractants, 1056
control, 160
reproductive status, 1056
trapping, 160
taxonomy, bat ectoparasites, 556
Brazil, 66
general review, 729
Laelaps, 66
Lutzomyia verrucarum group, 729
Parichoronyssus radovskyi, 556
Philippine Islands, 284
Trombiculidae, 284
Xenopsylla bantorum, 927
Xenopsylla cheopis, 927
Thailand, Culicidae, 436
Japanese encephalitis virus, 436
tick, *Boophilus annulatus*, 614
entomopathogenic nematodes, 614
Eptesicus fuscus, 349
Myotis lucifugus, 349
tick control, acaricides, 544
Ixodes dammini, 544
tick development, nonparasitic stage biology, 332
tropical horse tick, 332
tick drag-flag, *Ixodes dammini*, 352
tick sweep, 352
tick sampling methods, *Amblyomma americanum*, 451
Ixodes dammini, 451
tick sweep, *Ixodes dammini*, 352
tick drag-flag, 352
ticks, *Borrelia burgdorferi*, 673
DNA, 1049
mammals, 1049
transmission, 673
Toxorhynchites amboinensis, oviposition cues, 37
surface reflectance, 37
transformation, *Anopheles gambiae*, 375
heat shock, 375
transmission, *Borrelia burgdorferi*, 673
ticks, 673
transovarial transmission, *Lutzomyia shannoni*, 368
vesicular stomatitis virus, 368
trapping, attractants, 346
control, 160
Hybomitra lasiophthalma, 346
Tabanus spp., 160
tree hole mosquitoes, chemical cues, 33
oviposition, 33
Triatoma pallidipennis, sexual behavior, 13
Triatoma phyllosoma, 13
Triatoma, autogeny, 273
Rhodnius, 273
Trinidad, *Anopheles albitarsis*, 567
host-seeking rhythms, 567
tRNA genes, mitochondrial DNA, 644
Simulium vittatum, 644
Trombiculidae, dibutylphthalate, 907
Eutrombicula alfreddugesi, 858
Parasecia, 965
permethrin, 907
repellent, 858
Sturnia, 965
Philippine Islands, 284
taxonomy, 284
tropical horse tick, nonparasitic stage biology, 332
tick development, 332

vector competence, *Aedes albifasciatus*, 850
Aedes albopictus, 802
Aedes hendersoni, 483
La Crosse virus, 483
Venezuelan equine encephalomyelitis virus, 802
western equine encephalomyelitis virus, 850
vector competency, *Borrelia burgdorferi*, 525
Ixodidae, 525
Venezuelan equine encephalomyelitis virus, *Amblyomma cajennense*, 827
Aedes albopictus, 802
Aedes sollicitans, 62
Aedes taeniorhynchus, 62
mechanical transmission, 118
mites, 118
vector competence, 802
virus strains, 827
vertical transmission, *Aedes albopictus*, 985
dengue, 985
vesicular stomatitis virus, *Lutzomyia shannoni*, 368
Simuliidae, 137
Simulium vittatum, 137
transovarial transmission, 368
virus replication, dengue, 911
mosquitoes, 911
virus strains, *Amblyomma cajennense*, 827
Venezuelan equine encephalomyelitis virus, 827
vision, *Aedes aegypti*, 278
spectral sensitivity, 278
visual stimuli, *Aedes aegypti*, 445
behavior, 445
western equine encephalomyelitis virus, *Aedes albifasciatus*, 850
vector competence, 850
white-tailed deer, *Borrelia burgdorferi*, 259
Ixodes dammini, 259, 723
Wisconsin, 723
wing length, *Aedes triseriatus*, 968
Anopheles dirus, 921
Ascogregarina barretti, 968
body weight, 711
mosquito, 711
parity, 921
Wisconsin, infection rates, 314
Ixodes dammini, 314, 723
white-tailed deer, 723
Xenopsylla bantorum, taxonomy, 927
Xenopsylla cheopis, 927